

# SHOWER TRAY, SHOWER TRAYS (QUARYL), SHOWER TRAYS, RECTANGULAR SHOWER TRAYS, FLUSH-FITTING SHOWER TRAYS SQUARO INFINITY

## PRODUCT INFORMATION

### 1 . POSITION



Model	UDQ1380SQI2RV
Width	800 mm
Height	40 mm
Depth	15 mm
Length	1300 mm
Weight	29 kg
Description	<p>corner installation, right against the wall</p> <p>Technical information:: Cut shower tray (side unprocessed)., Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), <b>Surface-mounted models can be fitted in corners on the right against the wall, in a niche or flush-fit with the floor., Quarryl shower trays can be cut to size on site according to the installation instructions detailed video at <a href="http://pro.villeroy-boch.com/squaroinfinity">pro.villeroy-boch.com/squaroinfinity</a> or QR code on this page.</b></p> <p>These shower trays are cut along the short side.</p> <p>Outlet cover in matching matt colour with chrome-plated strip., <b>The extra charge for cutting already in the total price!</b></p> <p>Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.</p> <p>Diameter: 90 mm</p>
Material	Quaryl®

## Specification texts

Squaro Infinity; Shower tray; Size: 1300 x 800 x 40 mm; Quarryl®; corner installation, right against the wall; Outlet cover in matching matt colour with chrome-plated strip., **The extra charge for cutting already in the total price!**; Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Diameter: 90 mm; Technical information:: Cut shower tray (side unprocessed)., Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), **Surface-mounted models can be fitted in corners on the right against the wall, in a niche or flush-fit with the floor., Quarryl shower trays can be cut to size on site according to the installation instructions detailed video at [pro.villeroy-boch.com/squaroinfinity](http://pro.villeroy-boch.com/squaroinfinity) or QR code on this page.**; These shower trays are cut along the short side.

## COLOURS

Crème	UDQ1380SQI2RV-2S	4051202457860
Grey	UDQ1380SQI2RV-3S	4051202459079
Brown	UDQ1380SQI2RV-4S	4051202460280
Stone White	UDQ1380SQI2RV-RW	4051202851798
Anthracite	UDQ1380SQI2RV-1S	4051202456658

**UDQ1380SQI2RV**  
**SQUARO INFINITY**  
**UDQ1380SQI2R**

  
 Villeroy & Boch  
 This drawing is for information only.  
 Dimensions on the actual product can differ from the dimensions on this drawing.  
 Claims about accuracy of dimensions on product or drawing will not be accepted.

